

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1500	((buffer or register or fifo)near6 (status or state or mode))with threshold	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/24 10:31
L2	378	l1 and ((power or energy)with (conserv\$5 or consumption or sav\$4 or reduc\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/24 10:00
L3	42	l1 and ((monitor\$4 or observ\$5 or track\$4)with statistic)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/24 07:39
L4	4	l2 and ((monitor\$4 or observ\$5 or track\$4)with statistic)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/24 08:39
L5	1	l2 and ((monitor\$4 or observ\$5 or track\$4)with ((buffer or register or fifo)near5 statistic))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/24 07:43
L6	20	l1 and ((monitor\$4 or observ\$5 or track\$4)with ((buffer or register or fifo)near5 statistic))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/24 07:43
L7	1	l6 and ((power or energy)with (conserv\$5 or consumption or sav\$4 or reduc\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/24 07:43
L8	0	"6765873".uref.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/24 08:39

L9	6	("5313454"   "6097722"   "6452905"   "6453351"   "6459682"   "6535484").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/24 09:25
L10	1	"6463542".PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/24 10:42
L11	1	"6049882".PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/24 09:49
L12	476	I1 and ((power or energy)with (control\$4 or adjust\$4 or increas\$4 or decreas\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/24 10:01
L13	31	I1 with ((power or energy)with (control\$4 or adjust\$4 or increas\$4 or decreas\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/24 10:29
L14	92	I1 with ((power or energy or voltage)with (control\$4 or adjust\$4 or increas\$4 or decreas\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/24 10:01
L15	0	I14 same (clock near3 (speed or frequenc\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/24 10:02
L16	3	I14 and (clock near3 (speed or frequenc\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/24 10:02
L17	0	I13 and multimedia	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/24 10:15
L18	2	I13 and (multimedia or audio or video)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/24 10:26

L19	4719	((alter\$4 or chang\$4 or modif\$4 or switch\$4 or reduc\$4)with (number near4 (lines or bit\$1))) same (multimedia or audio or video)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/24 10:28
L20	1823	((alter\$4 or chang\$4 or modif\$4 or switch\$4 or reduc\$4)near6 (number near4 (lines or bit\$1))) with (multimedia or audio or video)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/24 11:00
L21	707	l19 and ((power or energy)with (control\$4 or adjust\$4 or incre\$4 or decreas\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/24 10:30
L22	119	l19 same ((power or energy)with (conserv\$5 or consum\$5 or control\$4 or adjust\$4 or incre\$4 or decreas\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/24 13:10
L23	22	l22 and ((buffer or register or fifo)near6 (fullness or status or state or mode))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/24 10:32
L24	0	"65790730".PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/24 10:42
L25	1	"6590730".PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/24 10:43
L26	1	"5996083".PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/24 10:44
L27	10	((alter\$4 or chang\$4 or modif\$4 or switch\$4 or reduc\$4)near6 (number near4 bit\$1)) with (multimedia )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/24 13:07
L28	3	((alter\$4 or chang\$4 or modif\$4 or switch\$4 or reduc\$4)near6 (number near4 bit\$1)) with (multimedia near4 represent\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/24 11:08

L31	1	"6049882".pn.	USPAT	OR	ON	2005/05/24 12:19
L32	989	((alter\$4 or chang\$4 or modif\$4 or switch\$4 or reduc\$4)) with (multimedia adj3 data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/24 13:08
L33	0	(multimedia adj3 data)near10 ((alter\$4 or chang\$4 or modif\$4 or switch\$4 or reduc\$4)near6 bit41)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/24 13:09
L34	12	(multimedia adj3 data)near10 ((alter\$4 or chang\$4 or modif\$4 or switch\$4 or reduc\$4)near6 bit\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/24 13:09
L35	5	l34 and ((power or energy)with (conserv\$5 or consum\$5 or control\$4 or adjust\$4 or incre\$4 or decreas\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/24 13:11
S1	2428	(instruction adj3 buffer)with (characteristic\$1 or performance or operation\$3 or operating or state or function\$3 or mode or state)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 13:54
S2	10068	(instruction adj3 (register or buffer))with (characteristic\$1 or performance or operation\$3 or operating or state or function\$3 or mode or state)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 14:34
S3	497	S2 same (instruction\$1 near3 (pend\$4 or wait\$4 or queu\$4 or fullness))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 13:56
S4	47	S3 and ((power or energy)near5 (sav\$4 or conserv\$4 or reduc\$4 or lower\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 14:39

S5	485	(instruction adj3 (register or buffer))with ((operating or operation\$2 or working or function\$4)adj4(characteristic\$1 or performance or state or mode or state))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 14:47
S6	20	S5 same ((buffer near3 (full or fullness))or ((rate or speed)with (pending or wait\$4))or (typ\$2 near3 instruction))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 14:46
S7	4	S6 and ((power or energy)near5 (consumption or sav\$4 or conserv\$4 or reduc\$4 or lower\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 14:48
S8	2470	(instruction adj3 (register or buffer)) same ((buffer near3 (full or fullness))or ((rate or speed)with (pending or wait\$4))or (typ\$2 near3 instruction))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 15:03
S9	91	S8 same ((operating or operation\$2 or working or function\$4)adj4(characteristic\$1 or performance or state or mode or state))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 14:50
S10	8	S9 and ((power or energy)near5 (consumption or sav\$4 or conserv\$4 or reduc\$4 or lower\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 14:48
S11	353	(instruction adj3 (register or buffer)) same ((buffer near3 (full or fullness)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 15:51
S12	599	(instruction adj3 (register or buffer)) same (((buffer or register) near3 (full or fullness)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 15:04

S13	535	(instruction adj3 (register or buffer))with ((full or fullness))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 15:05
S14	8	(instruction adj3 (register or buffer))with (( fullness))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 15:07
S15	30	((instruction adj3 (register or buffer))near5 ( full or fullness))with (characteristic\$1 or performance or state or mode or priority)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 15:09
S16	14	((adjust\$4 or switch\$4 or chang\$4 or control\$4)near3 (system near2 (characteristic or performance or operation or mode or state)))with (((operat\$3 or function\$3 or mode or state)near5 (instruction near2 (bugger or register)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 16:02
S17	0	S16 and (((buffer or register) near3 (full or fullness)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 16:09
S18	0	((adjust\$4 or switch\$4 or chang\$4 or control\$4)near3 (system near2 (characteristic or performance or operation or mode or state)))with ((power or energy)near5 (consumption or sav\$4 or conserv\$4 or reduc\$4 or lower\$3)))same((operat\$3 or function\$3 or mode or state)near5 (instruction near2 (bugger or register)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 15:57
S19	14	((adjust\$4 or switch\$4 or chang\$4 or control\$4)near3 (system near2 (characteristic or performance or operation or mode or state)))with (((operat\$3 or function\$3 or mode or state)near5 (instruction near2 (buffer or register)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 15:58



S20	67	(instruction near2 (buffer or register))with ((32-bit)with (16-bit))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 16:08
S21	22	S20 and ((adjust\$4 or switch\$4 or chang\$4 or control\$4)near3 (system near2 (characteristic or performance or operation or mode or state)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 16:03
S22	5	S20 and (((buffer or register) near3 (full or fullness)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 16:09
S23	47727	(buffer\$3 or register\$1 or Fifo)near10 (power or energy)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 15:59
S24	6867	(buffer\$3 or register\$1 or Fifo)near10 ((power or energy)near2 (consumption or consum\$4 or conserv\$5 or sav\$4 or reduc\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 15:40
S25	7	S24 same ((type or kind)near2 (instruction\$1 or command))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 15:45
S26	5	S24 same ((pending or queue\$3)near2 (instruction\$1 or command))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 15:49
S27	1	S24 same (fullness)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 16:49

S28	23	S24 same ((operati\$4 or work\$4 or function\$4)near3 characteristic)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 15:50
S29	49	((buffer\$3 or register\$1 or Fifo)with ((operati\$4 or work\$4 or function\$4)near3 characteristic))same ((power or energy)near2 (consumption or consum\$4 or conserv\$5 or sav\$4 or reduc\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 16:45
S30	11636	"712"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 16:43
S31	1358	S30 and ((power or energy)near2 (consumption or consum\$4 or conserv\$5 or sav\$4 or reduc\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 16:44
S32	7	S31 and ((buffer\$3 or register\$1 or Fifo)with ((operati\$4 or work\$4 or function\$4)near3 characteristic\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 16:48
S33	35	S30 and ((buffer\$3 or register\$1 or Fifo)with ((operati\$4 or work\$4 or function\$4)near3 characteristic\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 16:48
S34	4	S31 and ((buffer\$3 or register\$1 or Fifo)with (fullness))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 16:49